


No.

9000159



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

CROMMARK, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'HS 2533'



In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this 31st day of July in the year of our Lord one thousand nine hundred and ninety-two.

Attest:

Kenneth H. Evans
Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

Edward Madison
Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (Instructions on reverse)

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF APPLICANT(S) (as it is to appear on the Certificate) GROWMARK, Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NO.	3. VARIETY NAME HS 2533
4. ADDRESS (street and no. or R.F.D. no., city, state, and ZIP) P. O. Box 2500 Bloomington, Illinois 61702-2500		5. PHONE (Include area code) (309) 557-6399	FOR OFFICIAL USE ONLY PVPO NUMBER 9000159 Filing Date May 3, 1990 Time <input type="checkbox"/> A.M. <input checked="" type="checkbox"/> P.M. Filing and Examination Fee: \$2150.00 Date May 3, 1990 Certificate Fee: \$250.00 Date June 26, 1992
6. GENUS AND SPECIES NAME Glycine max	7. FAMILY NAME (Botanical) Leguminosae		
8. CROP KIND NAME (Common Name) Soybean	9. DATE OF DETERMINATION September, 84		
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) Corporation			
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware	12. DATE OF INCORPORATION Feb. 29, 1980		
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Thomas J. Hunsley GROWMARK, Inc. P. O. Box 2500, Bloomington, Illinois 61702-2500 (309) 557-6399 PHONE (Include area code):			

14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow INSTRUCTIONS on reverse)

- a. ☒ Exhibit A, Origin and Breeding History of the Variety.
- b. ☒ Exhibit B, Novelty Statement.
- c. ☒ Exhibit C, Objective Description of Variety.
- d. ☐ Exhibit D, Additional Description of Variety.
- e. ☒ Exhibit E, Statement of the Basis of Applicant's Ownership.
- f. ☒ Seed Sample (2,500 viable untreated seeds). Date Seed Sample mailed to Plant Variety Protection Office _____
- g. ☒ Filing and Examination Fee (\$2,150) made payable to "Treasurer of the United States."

15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See section 83(a) of the Plant Variety Protection Act)

☐ YES (If "YES," answer items 16 and 17 below) ☒ NO (If "NO," skip to item 18 below)

16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?

☐ YES ☐ NO

17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED?

☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.?

☐ YES (If "YES," through ☐ Plant Variety Protection Act ☐ Patent Act: Give date: _____)
☒ NO

19. HAS THE VARIETY BEEN RELEASED, USED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES?

☒ YES (If "YES," give names of countries and dates) **Released for sale in the United States in December, 1989**
☐ NO

20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in section 41, and is entitled to protection under the provisions of section 42 of the Plant Variety Protection Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

SIGNATURE OF APPLICANT [Owner(s)] GROWMARK, Inc.	CAPACITY OR TITLE Seed Division Mgr.	DATE April 12, 1990
SIGNATURE OF APPLICANT [Owner(s)] <i>Steve J. Baughman</i>	CAPACITY OR TITLE	DATE

Plant Variety Protection Application - Soybean, HS 2533
March 16, 1990

EXHIBIT A

Origin and Breeding History of HS 2533

- 1982 Cross was made
Parentage: Weber * A2943
- 1982-83 F1 - F2 generations advanced at winter nursery.
- 1983 F3 generation grown in midwest. Two-hundred plants were selected from bulk population and threshed individually.
- 1984 F3 single plants were evaluated as F4-derived lines in a short row yield test. One row (HS 2533) was selected for its uniformity, stability, and high yield. This row was harvested in bulk and seeds were checked & verified for uniform seed coat luster and hilum color.
- It was in September 1984, that HS 2533 was determined to be a stable and unique line.
- 1985 Variety was entered in yield trials conducted at 3 locations in the Midwest. It produced uniform stands and was selected for its yield and standability.
- 1986 Variety was entered in yield trials conducted at 17 locations in the Midwest. It produced uniform stands and was selected for its yield and standability.
- Breeder seed was produced.
- 1987 Variety was entered in yield trials conducted at 16 locations in the Midwest. It produced uniform stands and was selected for its yield and standability.

Trail evaluations since 1984 indicate HS 2533 is a unique, uniform and stable variety.

Plant Variety Protection Application - Soybean, HS 2533
March 16, 1990

EXHIBIT B

Novelty Statement Concerning HS 2533 Soybean

To our knowledge the soybean variety that most closely resembles
HS 2533 is: Century 84

Characteristics which differentiate HS 2533 include, but are not
necessarily restricted to, the following:

1. Flower color

HS 2533	=	White
Century 84	=	Purple

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

EXHIBIT C
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) GROWMARK, Inc.	TEMPORARY DESIGNATION	VARIETY NAME HS 2533
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) P. O. Box 2500 Bloomington, Illinois 61702-2500		FOR OFFICIAL USE ONLY PVPO NUMBER 2000159

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow

2 = Green

3 = Brown

4 = Black

5 = Other (Specify) _____

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')

2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff

2 = Yellow

3 = Brown

4 = Gray

5 = Imperfect Black

6 = Black

7 = Other (Specify) _____

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow

2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low

2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

☐

1 = Type A (SP1^a)

2 = Type B (SP1^b)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')

2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')

3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')

4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (Specify) _____

11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

★ 13. FLOWER COLOR:

☐ 1

1 = White

2 = Purple

3 = White with purple throat

★ 14. POD COLOR:

☐ 2

1 = Tan

2 = Brown

3 = Black

★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

★ 17. PLANT HABIT:

☐ 31 = Determinate ('Gnome'; 'Braxton')
3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

2 = Semi-Determinate ('Will')

★ 18. MATURITY GROUP:

☐ 0 ☐ 51 = 000
9 = VI2 = 00
10 = VII3 = 0
11 = VIII4 = I
12 = IX5 = II
13 = X

6 = III

7 = IV

8 = V

★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojae*)

★

☐ 0

Race 1

☐ 0

Race 2

☐ 0

Race 3

☐ 0

Race 4

☐ 0

Race 5

☐ 0

Other (Specify)

☐ 0Target Spot (*Corynespora cassiicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

FUNGAL DISEASES: (Continued)

- ★ ☐ 0 Pod and Stem Blight (*Diaporthe phaseolorum* var. *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ 2 Race 1 ☐ 2 Race 2 ☐ 1 Race 3 ☐ 1 Race 4 ☐ 1 Race 5 ☐ 0 Race 6 ☐ 1 Race 7
- ☐ 1 Race 8 ☐ 1 Race 9 ☐ 2 Other (Specify) 13, 16, 17

VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 0 Race 3 ☐ 0 Race 4 ☐ 0 Other (Specify) _____
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 0 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 0 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ 0 OTHER DISEASE NOT ON FORM (Specify): _____

20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 0 Iron Chlorosis on Calcareous Soil
- ☐ 0 Other (Specify) _____

21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ 0 Other (Specify) _____

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.


CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	A2943	Seed Coat Luster	A2943
Leaf Shape	Weber	Seed Size	Weber
Leaf Color	Weber	Seed Shape	Weber
Leaf Size	A1937	Seedling Pigmentation	Weber

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
HS 2533 Submitted	130	1.0	88	--	--	40.9	22.4	13	--
Century 84 Name of Similar Variety	131	1.6	95	--	--	42.6	21.8	15	--

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.J. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



U. S. PVP Application
GROWMARK Soybean HS 2533

Exhibit E

Statement of the Basis of Applicant's Ownership

Ownership of soybean HS 2533 was transferred to GROWMARK, Inc. by the breeder and developer of the variety on April 14, 1988.